

TECHNICAL SERVICE NOTE

Detection Systems, Inc.
130 Perinton Parkway
Fairport, New York 14450

Service (800) 374-7454
Sales (800) 289-0096
716-223-4060

Concerns: DS Fire Products
Affects: DS9400 Control/Communicators
Dated: 11 July, 1997

Devices Compatible with the DS9400 Fire Alarm Control/Communicator

Detection Systems has found the following devices to be compatible
with the DS9400 Fire Alarm Control/Communicator:

Product	Manufacturer	Description
D411	Radionics	2-Wire Synchronization Module
D411LC	Radionics	2-Wire Synchronization Module (no encl.)
D412	Radionics	4-Wire Synchronization Module
D412LC	Radionics	4-Wire Synchronization Module (no encl.)
D419A	Radionics	24v, Mini Horn Strobe, 75 cd
D421A	Radionics	24v, Mini Horn Strobe, 15/75 cd
D422A	Radionics	24v, Horn Strobe, 15/75 cd
D423A	Radionics	24v, Horn Strobe, 75 cd
D424A	Radionics	24v, Horn Strobe, 30 cd
D432A	Radionics	24v, Horn Strobe, 15 cd
D441	Radionics	24v, bell, 6"
D443	Radionics	24v, bell, 10"
D449	Radionics	24v, Mini Horn
D449W	Radionics	24v, Mini Horn, white
D451A	Radionics	24v, Mini Horn Strobe, 15 cd
D457	Radionics	12 / 24v Multi-tone Horn
D470	Radionics	12/24v, (3) Multiple Input Horn
D474A	Radionics	24v, (3) Multiple Input Horn Strobe, 15 cd
D477A	Radionics	24v, (3) Multiple Input Horn Strobe, 15/75 cd
D478A	Radionics	24v, (3) Multiple Input Horn Strobe, 75 cd
D484A	Radionics	Speaker with 15 Cd strobe
D485A	Radionics	Speaker with 15 Cd strobe
D486A	Radionics	Speaker with 15 Cd strobe
D487A	Radionics	Speaker with 15/75 Cd strobe
D488A	Radionics	Speaker with 15/75 Cd strobe
D489A	Radionics	Speaker with 30 Cd strobe
D490A	Radionics	Speaker with 30 Cd strobe
D491A	Radionics	Speaker with 30 Cd strobe
D492A	Radionics	Speaker with 75 Cd strobe
D493A	Radionics	Speaker with 75 Cd strobe
D494A	Radionics	Speaker with 75 Cd strobe
D500	Radionics	24v, Remote Strobe, 15 Cd
D501S	Radionics	24v, Horn Sync Strobe, 15 Cd, 2-wire
D503S	Radionics	24v, Horn Sync Strobe, 15/75 Cd, 2-wire
D504S	Radionics	24v, Synchronized Strobe, 15 Cd
D505S	Radionics	24v, Horn Sync Strobe, 110 Cd, 2-wire
D506S	Radionics	24v, Synchronized Strobe, 15/75 Cd
D507	Radionics	24v, Remote Strobe, 110 Cd
D508S	Radionics	24v, Horn Sync Strobe, 30 Cd, 2-wire
D509S	Radionics	24v, Horn Sync Strobe, 75 Cd, 2-wire

TECHNICAL SERVICE NOTE

Detection Systems, Inc.
130 Perinton Parkway
Fairport, New York 14450

Service (800) 374-7454
Sales (800) 289-0096
716-223-4060

Concerns: DS Fire Products
Affects: DS9400 Control/Communicators
Dated: 11 July, 1997

D514	Radionics	24v, Remote Strobe, 75 Cd
D515	Radionics	24v, Remote Strobe, 30 Cd
D516	Radionics	24v, Remote Strobe, 15/75 Cd
D522S	Radionics	24v, Synchronized Strobe, 110 Cd
D523S	Radionics	24v, Synchron. Strobe Retro Plate, 110 Cd
D524	Radionics	24v, Remote Strobe Retro Plate, 110 Cd
D526S	Radionics	Speaker with 15 Cd Sync Strobe
D527S	Radionics	Speaker with 15/75 Cd Sync Strobe
D529S	Radionics	Speaker with 15 Cd Sync Strobe
D531	Radionics	Speaker with 75 Cd Strobe
D532	Radionics	24v, Remote Strobe Retro Plate, 15/75 Cd
D533	Radionics	24v, Remote Strobe Retro Plate, 30 Cd
D534	Radionics	24v, Remote Strobe Retro Plate, 75 Cd
D535S	Radionics	24v, Synchron. Strobe Retro Plate, 15 Cd
D536S	Radionics	24v, Synchron. Strobe Retro Plate, 15/75 Cd
D537S	Radionics	24v, Synchron. Strobe Retro Plate, 75 Cd
D538	Radionics	24v, Remote Strobe Retro Plate, 15 Cd
D541S	Radionics	24v, Synchronized Horn
D543S	Radionics	24v, Synchronized Horn, Weatherproof
D544S	Radionics	24v, Sync or Remote Strobe, 15 Cd
D545S	Radionics	24v, Sync or Remote Strobe, 15/75 Cd
D546S	Radionics	24v, Sync or Remote Strobe, 30 Cd
D547S	Radionics	24v, Sync or Remote Strobe, 75 Cd
D548S	Radionics	24v, Sync or Remote Strobe, 110 Cd
D552S	Radionics	24v, Sync or Remote Strobe, 15 Cd, Ceiling
D553S	Radionics	24v, Sync or Remote Strobe, 100 Cd, Ceiling
AH-24-R	Wheelock	24v, Synchronized Horn
AH-24WP-R	Wheelock	24v, Synchronized Horn, Weatherproof
AMT-12/24-R	Wheelock	12/24v, (3) Multiple Input Horn
AMT-24-IS-VFR	Wheelock	24v, (3) Multiple Input Horn Strobe, 75 cd
AMT-24-LS-VFR	Wheelock	24v, (3) Multiple Input Horn Strobe, 15 cd
AMT-24-LSM-VFR	Wheelock	24v, (3) Multiple Input Horn Strobe, 15/75 cd
AS-24110-HFR	Wheelock	24v, Horn Sync Strobe, 110 Cd, 2-wire
AS-2415-VFR	Wheelock	24v, Horn Sync Strobe, 15 Cd, 2-wire
AS-241575-VFR	Wheelock	24v, Horn Sync Strobe, 15/75 Cd, 2-wire
AS-2430-VFR	Wheelock	24v, Horn Sync Strobe, 30 Cd, 2-wire
AS-2475-VFR	Wheelock	24v, Horn Sync Strobe, 75 Cd, 2-wire
DSM-24-R	Wheelock	4-Wire Synchronization Module
E-70-SL-24-VFR	Wheelock	Speaker with 15 Cd Sync Strobe
E-70-SLM-24-VFR	Wheelock	Speaker with 15/75 Cd Sync Strobe
E-90-IS-24-CFW	Wheelock	Speaker with 75 Cd Strobe
E-90-SL-24-CFW	Wheelock	Speaker with 15 Cd Sync Strobe
ET-1070-IS-24-VFR	Wheelock	Speaker with 75 Cd strobe

TECHNICAL SERVICE NOTE

Detection Systems, Inc.
130 Perinton Parkway
Fairport, New York 14450

Service (800) 374-7454
Sales (800) 289-0096
716-223-4060

Concerns: DS Fire Products
Affects: DS9400 Control/Communicators
Dated: 11 July, 1997

ET-1070-LS-24-VFR	Wheelock	Speaker with 15 Cd strobe
ET-1070-LSM-24-VFR	Wheelock	Speaker with 15/75 Cd strobe
ET-1070-MS-24-VFR	Wheelock	Speaker with 30 Cd strobe
ET-1080-IS-24-VFR	Wheelock	Speaker with 75 Cd strobe
ET-1080-LS-24-VFR	Wheelock	Speaker with 15 Cd strobe
ET-1080-LSM-24-VFR	Wheelock	Speaker with 15/75 Cd strobe
ET-1080-MS-24-VFR	Wheelock	Speaker with 30 Cd strobe
ET-1090-IS-24-CFW	Wheelock	Speaker with 75 Cd strobe
ET-1090-LS-24-CFW	Wheelock	Speaker with 15 Cd strobe
ET-1090-MS-24-CFW	Wheelock	Speaker with 30 Cd strobe
MB-G10-24-R	Wheelock	24v, bell, 10"
MB-G6-24-R	Wheelock	24v, bell, 6"
MIZ-24-IS-VFR	Wheelock	24v, Mini Horn Strobe, 75 cd
MIZ-24-LS-VFR	Wheelock	24v, Mini Horn Strobe, 15 cd
MIZ-24-LSM-VFR	Wheelock	24v, Mini Horn Strobe, 15/75 cd
MIZ-24-R	Wheelock	24v, Mini Horn
MIZ-24-W	Wheelock	24v, Mini Horn, white
MT-12/24-R	Wheelock	12 / 24v Multi-tone Horn
MT-24-IS-VFR	Wheelock	24v, Horn Strobe, 75 cd
MT-24-LS-VFR	Wheelock	24v, Horn Strobe, 15 cd
MT-24-LSM-VFR	Wheelock	24v, Horn Strobe, 15/75 cd
MT-24-MS-VFR	Wheelock	24v, Horn Strobe, 30 cd
RS-24110-HFR	Wheelock	24v, Remote Strobe, 110 Cd
RS-2415-VFR	Wheelock	24v, Remote Strobe, 15 Cd
RS-241575-VFR	Wheelock	24v, Remote Strobe, 15/75 Cd
RS-2430-VFR	Wheelock	24v, Remote Strobe, 30 Cd
RS-2475-VFR	Wheelock	24v, Remote Strobe, 75 Cd
RSP-24110-HFR	Wheelock	24v, Remote Strobe Retro Plate, 110 Cd
RSP-2415-HFR	Wheelock	24v, Remote Strobe Retro Plate, 15 Cd
RSP-241575-VFR	Wheelock	24v, Remote Strobe Retro Plate, 15/75 Cd
RSP-2430-HFR	Wheelock	24v, Remote Strobe Retro Plate, 30 Cd
RSP-2475-HFR	Wheelock	24v, Remote Strobe Retro Plate, 75 Cd
RSS-24100C-FW	Wheelock	24v, Sync or Remote Strobe, 100 Cd, Ceiling
RSS-24110W-FR	Wheelock	24v, Sync or Remote Strobe, 110 Cd
RSS-241575W-FR	Wheelock	24v, Sync or Remote Strobe, 15/75 Cd
RSS-2415C-FW	Wheelock	24v, Sync or Remote Strobe, 15 Cd, Ceiling
RSS-2415W-FR	Wheelock	24v, Sync or Remote Strobe, 15 Cd
RSS-2430W-FR	Wheelock	24v, Sync or Remote Strobe, 30 Cd
RSS-2475W-FR	Wheelock	24v, Sync or Remote Strobe, 75 Cd
SM-24-R	Wheelock	2-Wire Synchronization Module
SR-24110-VFR	Wheelock	24v, Synchronized Strobe, 110 Cd
SR-2415-VFR	Wheelock	24v, Synchronized Strobe, 15 Cd

TECHNICAL SERVICE NOTE

Detection Systems, Inc.
130 Perinton Parkway
Fairport, New York 14450

Service (800) 374-7454
Sales (800) 289-0096
716-223-4060

Concerns: DS Fire Products
Affects: DS9400 Control/Communicators
Dated: 11 July, 1997

SR-241575-VFR	Wheelock	24v, Synchronized Strobe, 15/75 Cd
SRP-24110-HFR	Wheelock	24v, Synchron. Strobe Retro Plate, 110 Cd
SRP-2415-HFR	Wheelock	24v, Synchron. Strobe Retro Plate, 15 Cd
SRP-241575-VFR	Wheelock	24v, Synchron. Strobe Retro Plate, 15/75 Cd
SRP-2475-HFR	Wheelock	24v, Synchron. Strobe Retro Plate, 75 Cd